

Pointers

- We have put off pointers to as late as possible
- Pointers are an essential feature of both C and C++, but are often over-used or misused in C++
- C++ allows us to call by name (References), making much use of pointers unnecessary



Pointers give us all the rope we need to hang ourselves, *and* shoot ourselves in the foot, *and* blow our leg off.

1

How pointers work:

- A variable *name* is a human-friendly shorthand for its *address*.
- The assignment: `x = 17;` is short for:
Put the value "17" into the memory location labelled "x".
- If our computer has 256 MB of (virtual) memory, then x's location could be a byte offset from 0 to 2^{28} .

Main uses of pointers in C++

1. Arrays
2. Dynamic memory (and object) allocation
3. The current `this` object
4. Fancy footwork

2

But first the syntax. There are 2 operators:

1. The "address of" operator, `&`

If `x` is any valid variable, then `&x` is the address of `x`.

```
#include <iostream.h>    // addressof.cc
```

```
int main() {
    int x=17;
    cout << "x=" <<dec<< x << ", &x=" <<hex<< (int)&x <<endl;
    return 0;
}
```

3

2. The "dereference" (pointer) operator, `*`

If `p` is any valid address (pointer), then `*p` is the content of that address.

```
#include <iostream.h>    // addressofint.cc
```

```
int main() {
    int x=17;
    int* px=&x;
    cout << "px=" <<hex<< (int)px << ", *px=" <<dec<< *px <<endl;
    return 0;
}
```

Read a statement such as `int* px;` backwards:

"px is a pointer to an int"

4

A pointer is a distinct type. A pointer of type `int*` is a different type than a `float*`

```
#include <iostream.h>    // addressoffloat.cc

int main() {
    int    x=17;
    int* px=&x;
    float  e=1.6e-19;
    float* pe=&e;
    cout << "px=" <<hex<< (int)px << ", *px=" <<dec<< *px<<endl;
    cout << "pe=" <<hex<< (int)pe << ", *pe=" <<dec<< *pe<<endl;
    return 0;
}
```

5

const pointers and pointers to const

Before we look at the use of pointers, we'll clear up (or add) another source of confusion:

- if we declare `const int x(17);`, then `x` is *immutable* – it cannot be changed.
- With pointers, we can make *either* the pointed-to object constant, *or* the pointer itself constant, *or* both:

```
- int* p1;           // p1 and *p1 mutable
- const int* p2;      // p2 mutable, *p2 immutable
- const int* const p3(&x); // p3 and *p3 immutable
- int* const p4(&y); // p4 immutable, *p4 mutable
```

6

```
#include <iostream.h>    // const.cc

int main() {
    const int x(17);
    int y(42);
    int* p1;
    const int* p2;
    const int* const p3(&x);
    int* const p4(&y);
    p1 = &y;
    *p1 *= 2;
    p2 = &x;
    (*p4)++;
    cout << "p1=" <<hex<< (int)p1 << ", *p1=" <<dec<< *p1 <<endl
         << "p2=" <<hex<< (int)p2 << ", *p2=" <<dec<< *p2 <<endl
         << "p3=" <<hex<< (int)p3 << ", *p3=" <<dec<< *p3 <<endl
         << "p4=" <<hex<< (int)p4 << ", *p4=" <<dec<< *p4 <<endl;
    return 0;
}
```

7



Where to put the *?

Any of:

- `int* p1;`
- `int *p1;`
- `int*p1;`

are *syntactically* correct.

We prefer: `int* p1;`

to emphasize that the type of `p1` is a *pointer to an int*.

8

Pointer Arithmetic

- We can do pointer arithmetic in a way that makes sense *for that pointer*.
- if `p` is an `int*`, then `p+1` points to the first byte *after* `p`.
- The *compiler* looks after the different variable lengths: we don't have that worry.

9

```
#include <iostream.h>    // arithmetic.cc

int main() {
    int x(17);
    int y(42);
    int* p1(&x);
    cout << "p1-&y = " << (int)(p1-&y) << endl;
    cout << "p1=" <<hex<< (int)p1 << ", *p1="<<dec<< *p1 <<endl;
    ++p1;
    cout << "p1=" <<hex<< (int)p1 << ", *p1="<<dec<< *p1 <<endl;
    // (*p1)++;    // this will change random memory
    return 0;
}
```

10

Notes:

- It looks like the difference of the 2 pointers is 4, whereas pointer arithmetic says it's 1. This *is* consistent.
- Pointers allow us to access memory that maybe we shouldn't access
- Sometimes this leads to the dreaded **segmentation fault**
- Be careful with the precedence of `*` and `++`. When in doubt, use parentheses.



Be very careful with pointer arithmetic

11

Arrays

- Arrays use pointers implicitly – and interchangeably
- The array *name* is a pointer to the 0'th element of the array
- Then `name+1` is a pointer to the 1st element of the array, etc.
- We can use *either* indexed arrays, *or* pointers.

12

```
#include <iostream.h>    // array.cc

int main() {
    const int kArraySize(8);
    const int a[]={0, 1, 4, 9, 16, 25, 36, 49};
    const int* p(a);
    for (int i=0; i<kArraySize; i++) {
        cout << *p++ << endl;
    }
    return 0;
}
```

13

Points to note:

- The declaration: `const int a[]` makes `a` an array, of size determined by the initialization.
- The definition `{0, 1, 4, 9, 16, 25, 36, 49}` sets the size of the array, and initializes its elements
- The declaration: `const int* p(a);` declares a pointer to `const int`
- We can access each element with: `*p++` (first dereference, then bump the pointer).

14

the arguments of main

- So far, we have used `main()` with no arguments.
- It can also take 2 arguments: `main(int argc, char* argv[])`.
(By convention, these names are used, but they can be anything.)
 - `int argc`
The number of command line arguments. The program name is *always* the first argument, so `argc>0`
 - `char* argv[]`
A `NULL`-terminated array of pointers to `char[]`. Each array of `char` is a `NULL`-terminated string containing the argument.
- (See K & R for a description of arrays, and the use of `argc`, `argv`)

15

```
#include <iostream.h>    // arguments1.cc

int main(int argc, char* argv[]) {
    cout << "You gave " << argc << " arguments" << endl;
    for (int i=0; i<argc; i++) {
        cout << argv[i] << endl;
    }
    return 0;
}
```

-
- Historically, the use of `char[]` preceded the `String` class, so we have to live with both.
 - Note how the program name is the first element pointed to by `argv`

16

We can also use the interchangeability of pointers and arrays:

```
#include <iostream.h>    // arguments2.cc

int main(int, char** argv) {
    while (*argv != 0) {
        cout << *argv++ << endl;
    }
    return 0;
}
```

- Pointers allow us to be very terse (and cryptic)
- We can use either `char* argv[]` or `char** argv`
- The `argv` array is terminated with a NULL pointer.

17

Dynamic object allocation

- So far, we have declared every object (including built-in types) at compile-time
- Very often, we want to wait until *run time*
 - We may want to reduce the executable size
 - More normally, we don't know how big to make the object at compile time
- C++ allows us to do this with the `new` operator

18

the new operator

- The `new` operator is a way of creating an object – or dynamically allocating memory.
- It creates the object, and returns a *pointer* to the object.
- That's why we simply cannot avoid pointers
- We can create either a single object, or an array of objects

19

```
#include <iostream.h>    // newobject.cc
#include <assert.h>
#include "Point7.hh"

int main() {
    Point* p = new Point(5,7);
    assert (p!=0);
    (*p).print();
    p->moveTo(Point(2,1));
    p->print();
    cout << endl;
    return 0;
}
```

20

Points to Note:

- We use the `assert` macro to “assert” some condition:
 - if the argument to `assert` is “true”, nothing happens
 - otherwise, the program terminates with an error message
- The statement: `Point* p = new Point(5,7);`
 - creates a new `Point` object, calling the constructor as normal
 - returns a *pointer* to the object
- If `new` fails, `p` is assigned to 0, otherwise it points to the new object
- You should *always* test that `new` was successful
- Since `p` is a pointer, we have to dereference it before using the object
- The operation: `(*p).method` is done so often, we use the shorthand: `p->method`

21

```
#include <iostream.h>    // newarray.cc
#include <sstream.h>
#include <assert.h>

int main(int argc, char** argv) {
    assert (argc>1);
    istringstream arg(++argv);
    int arraySize;
    arg >> arraySize;
    int* a = new int[arraySize];
    assert (a!=0);
    for (int i=0; i<arraySize; i++) { a[i] = i*i; }
    const int* p(a);
    for (int i=0; i<arraySize; i++) { cout << *p++ << endl; }
    return 0;
}
```

22

Points to Note:

- We use `istringstream` to parse the arguments
- This time, `new` is used to dynamically create an array
- The array size is given with the `[]` operator
- Since `a` is `int*`, we can use an array index or a pointer interchangeably
- We could have used any object to create e.g. an array of `Point` objects

23

the delete operator

There is a catch using `new`:

- Normally, when an object goes out of scope, its memory is freed
- If an object is created with `new`, memory is not freed

This leads to the dreaded **memory leak**

We have to use the `delete` operator to free the memory explicitly:

- Use `delete foo` to delete an object
- Use `delete [] foo` to delete an array

24

```

#include <iostream.h>    // deletearray.cc
#include <stdlib.h>
#include <assert.h>

int main() {
    const int kRandMax(1024);
    while (1) {
        const int kArraySize( (rand()%kRandMax)+1 );
        int* a = new int[kArraySize];
        assert (a!=0);
        for (int i=0; i< kArraySize; a[i++]=rand()) {}
        cout << "a = " << hex << (int)a
        << ", kArraySize = " << dec << kArraySize << endl;
        delete [] a;
    }
    return 0;
}

```

25

Points to Note:

- *Without the **delete**, the array starts at a different address each iteration – memory is consumed until the program crashes*
- *With the **delete**, the memory is recycled (try it)*



Always make sure to use **delete after using new**

26

Object Destructor

- When an object goes out of scope, its memory is freed
- If we used a **new** operator for memory that is part of the object, that memory cannot be freed, unless we do so explicitly
- Every class has a default **destructor** that is called when the object goes out of scope
- But the default cannot know about memory allocated dynamically – so we have to provide an explicit destructor
- If the class is called **Foo**, the destructor is called **~Foo**



Always provide a destructor when memory has been allocated dynamically

27

```

#include <iostream.h>    // destructor1.cc
#include <stdlib.h>
#include "Point8.hh"

Point::~Point() {
    cout << "I am the destructor" << endl;
}

int main() {
    const int kRandMax(1024);
    for (int i=0; i<20; i++) {
        Point p( rand()%kRandMax, rand()%kRandMax );
        cout << "Point " << i << ": ";
        p.print();
        cout << endl;
    }
    return 0;
}

```

28

```

#include <iostream.h>    // destructor2.cc
#include <stdlib.h>
#include "Point8.hh"

Point::~Point() {
    cout << "I am the destructor" << endl;
}

int main() {
    const int kRandMax(1024);
    for (int i=0; i<20; i++) {
        Point* p = new Point( rand()%kRandMax, rand()%kRandMax );
        cout << "Point " << i << ":  ";
        p->print();
        cout << endl;
        delete p;
    }
    return 0;
}

```

29

Some subtle points:

- In the first example, the destructor is called – even tho we haven't called it
- In the second example, the destructor is *not* called unless we *explicitly* call it



When in doubt, always provide a destructor

- This last destructor does nothing – we'll now look at one that does something essential

30

In this example, dynamic memory is allocated by the constructor:

```

#ifndef __FOOBAR_HH    // FooBar1.hh
#define __FOOBAR_HH
#include <iostream.h>

class FooBar {
public:
    FooBar(unsigned int size=0, int initValue=0);
    ~FooBar();
    void print();
private:
    unsigned int m_size;
    int* m_array;
};
#endif // __FOOBAR_HH

```

31

```

#include "FooBar1.hh"    // FooBar1.cc

FooBar::FooBar(unsigned int size, int initValue) : m_size(size) {
    m_array = new int[m_size](initValue);
}

FooBar::~FooBar() {
    delete [] m_array;
    cout << "I have destroyed you" << endl;
}

void FooBar::print() {
    cout << "array size = " << m_size << ":";
    for (unsigned int i=0; i<m_size; i++) {
        cout << " " << m_array[i];
    }
    cout << endl;
}

```

32


```
#include <iostream.h>    // destructor3.cc
#include <stdlib.h>
#include "FooBar1.hh"
```

```
int main() {
    const int kRandMax(16);
    for (int i=0; i<20; i++) {
        FooBar f( rand()%kRandMax, rand() );
        f.print();
    }
    return 0;
}
```

Note that:

- Our destructor is called automatically
- The scope of the object is within { }

33

default constructors

As well as a default *destructor*, C++ also provides 2 default *constructors*:

1. a “bare” constructor
2. a copy constructor – its signature is: `Foo(Foo&)` or `Foo(const Foo&)`

i.e. if we don’t write them, the compiler provides them.

If we don’t allocate memory, there is usually not a problem:

- the “bare” constructor may or may not initialize the data members
- the copy constructor copies all data members (recursively)

34

```
#include <iostream.h>    // default.cc
```

```
class Foo {
public:
    void print() { cout << m_x << endl; }
private:
    int m_x;
};
```

```
int main() {
    Foo f;
    Foo g(f);
    f.print();
    g.print();
    return 0;
}
```

35

but if we allocate memory in the object, we could be in for a surprise:

```
#include <iostream.h>    // copyconstructor1.cc
#include <stdlib.h>
#include "FooBar2.hh"
```

```
int main() {
    const int kRandMax(8);
    for (int i=0; i<10; i++) {
        FooBar f( rand()%kRandMax, rand() );
        f.print();
        FooBar g(f);
        f.increment();
        g.print();
    }
    return 0;
}
```

36

```

#include "FooBar2.hh"    // FooBar2.cc

FooBar::FooBar(unsigned int size, int initValue) : m_size(size) {
    m_array = new int[m_size](initValue);
}

FooBar::~FooBar() {
    delete [] m_array;
    cout << "I have destroyed you" << endl;
}

void FooBar::print() {
    cout << "array size = " << m_size << ":";
    for (unsigned int i=0; i<m_size; cout<<" "<<m_array[i++]) {}
    cout << endl;
}

void FooBar::increment() {
    for (unsigned int i=0; i<m_size; m_array[i++]++) {}
}

```

37



**Don't count on the default constructors
– provide explicit ones**

The problem is:

- The default copy constructor does a member-by-member copy
- The pointer `m_array` is copied to the new object, so in `g` it points to the *same* data
- Instead, we have to allocate new memory for the new object

38

```

#ifndef __FOOBAR_HH    // FooBar3.hh
#define __FOOBAR_HH
#include <iostream.h>

class FooBar {
public:
    FooBar(unsigned int size=0, int initValue=0);
    FooBar(const FooBar&);    // copy constructor
    ~FooBar();
    void print();
    void increment();
private:
    unsigned int m_size;
    int* m_array;
};
#endif // __FOOBAR_HH

```

39

```

#include "FooBar3.hh"    // FooBar3.cc
FooBar::FooBar(unsigned int size, int initValue) : m_size(size) {
    m_array = new int[m_size](initValue);
}

FooBar::FooBar(const FooBar& f) {
    cout << "Copy constructor ..." << endl;
    m_size = f.m_size;
    m_array = new int[m_size];
    for (unsigned int i=0; i<m_size; i++) {m_array[i]=f.m_array[i];}
}

FooBar::~FooBar() {
    delete [] m_array;
    cout << "I have destroyed you" << endl; }

void FooBar::increment() {
    for (unsigned int i=0; i<m_size; m_array[i++]++) {} }

void FooBar::print() {
    cout << "array size = " << m_size << ":";
    for (unsigned int i=0; i<m_size; cout<<" "<<m_array[i++]) {}
    cout << endl; }

```

40

```

#include <iostream.h>    // copyconstructor1.cc
#include <stdlib.h>
#include "FooBar2.hh"

int main() {
    const int kRandMax(8);
    for (int i=0; i<10; i++) {
        FooBar f( rand()%kRandMax, rand() );
        f.print();
        FooBar g(f);
        f.increment();
        g.print();
    }
    return 0;
}

```

41

this

- Sometimes we have to distinguish between some *other* object, and *this* – the current object
- C++ gives us a pointer called “**this**” which points to the current object
- We will use it extensively with operator overloading
- We will also use in the next example

42

Fancy footwork

- Armed with pointers, we can shoot ourselves in the foot in ways that we never thought possible
- We can also do things that would not be possible otherwise
- E.g. making an object persistent (writing it to disk)
 - our use of streams did *formatted* i/o
 - suppose we want to do *unformatted* i/o – just save the bytes?

43

- First define a base class, **Persistent**
- Use a pure virtual function, **size()** for the size of the object. (Note that the **sizeof** operator cannot be overloaded.)
- Implement **write** and **read** methods for the base class
 - Note the cast of **this** to **char***
- Then define a derived class which inherits **write** and **read**.
- The derived class must also implement **size**
 - Note the use of **this** in **sizeof**
- **Presto-Magico!!** Our derived class can now make itself persistent

44

```

#ifndef __PERSISTENT_HH    // Persistent.hh
#define __PERSISTENT_HH
#include <fstream.h>

class Persistent {
public:
    void write(ofstream&);
    void read(ifstream&);
protected:
    Persistent() {}
    virtual int size()=0;
};
#endif // __PERSISTENT_HH

```

45

```

#include "Persistent.hh"    // Persistent.cc

void Persistent::write(ofstream& os) {
    os.write( (char*)this, size() );
}

void Persistent::read(ifstream& is) {
    is.read( (char*)this, size() );
}

```

46

```

#ifndef __FOOBAR_HH    // FooBar4.hh
#define __FOOBAR_HH

#include "Persistent.hh"

class FooBar : public Persistent {
public:
    FooBar(int a=0, int b=0, int c=0, int d=0)
        : m_a(a),m_b(b),m_c(c),m_d(d) {}
    void print() { cout<<m_a<<" "<<m_b<<" "<<m_c<<" "<<m_d<<endl;}
private:
    int m_a, m_b, m_c, m_d;
    int size() { return sizeof(*this); }
};
#endif // __FOOBAR_HH

```

47

Finally, here's the persistent write program:

```

#include <stdlib.h>    // PersistentWrite.cc
#include "FooBar4.hh"

int main() {
    FooBar f( rand(), rand(), rand(), rand() );
    f.print();
    ofstream out("myobject.dat");
    f.write(out);
    return 0;
}

```

48

and here's the persistent read program:

```
#include "FooBar4.hh"    // PersistentRead.cc

int main() {
    FooBar f;
    ifstream in("myobject.dat");
    f.read(in);
    f.print();
    return 0;
}
```

49

We can see that the virtual function does "the right thing" by adding another persistent class:

```
#include <stdlib.h>    // PersistentWrite2.cc
#include "FooBar4.hh"
#include "Foo.hh"

int main() {
    FooBar f( rand(), rand(), rand(), rand() );
    f.print();
    Foo bar(1);
    bar.print();
    ofstream out("myobject.dat");
    f.write(out);
    bar.write(out);
    return 0;
}
```

50

and we can use `new` in the `read` program:

```
#include "FooBar4.hh"    // PersistentRead2.cc
#include "Foo.hh"

int main() {
    FooBar f;
    Foo* bar = new Foo;
    ifstream in("myobject.dat");
    f.read(in);
    bar->read(in);
    f.print();
    bar->print();
    delete bar;
    return 0;
}
```

51

Exercise for the student:

Repeat this for an object that allocates memory in the constructor



There is no shortage of rope with which you can hang yourself

52